

## DACONIL ULTREX® TURF CARE®

Date: 9/12/2018  
Replaces: 9/5/2018

### 1. PRODUCT IDENTIFICATION

Product identifier on label: **DACONIL ULTREX® TURF CARE®**

Product No.: A12836A

Use: Fungicide

Manufacturer: Syngenta Crop Protection, LLC  
Post Office Box 18300  
Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

**Emergency Phone: 1-800-888-8372**

### 2. HAZARDS IDENTIFICATION

Classifications: Skin Sensitizer: Category 1B  
Carcinogenicity: Category 2  
Specific Target Organ Toxicity: Repeated Category 2  
Specific Target Organ Toxicity: Respiratory Irritation Category 3  
Eye Damage/Irritation: Category 1  
Inhalation: Category 2

Signal Word (OSHA): Warning

Hazard Statements: May cause an allergic skin reaction  
Causes serious eye damage  
Fatal if inhaled  
May cause respiratory irritation  
Suspected of causing cancer  
May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe mist, vapors, spray.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves, protective clothing, eye protection.  
In case of inadequate ventilation wear respiratory protection. See Section 8 Exposure Control/Personal Protection.

## DACONIL ULTREX® TURF CARE®

Date: 9/12/2018  
Replaces: 9/5/2018

Wear eye protection.  
If on skin: Wash with plenty of soap and water.  
If skin irritation or rash occurs: Get medical advice.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If exposed or concerned: Get medical advice/attention.  
Immediately call a poison center, doctor or Syngenta.  
Get medical advice if you feel unwell.  
Specific treatment is urgent (see Section 4 First Aid Measures).  
See Section 4 First Aid Measures.  
Wash contaminated clothing before reuse.  
Store locked up.  
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Chemical Name                | Common Name       | CAS Number   | Concentration |
|------------------------------|-------------------|--------------|---------------|
| Kaolin Clay                  | Kaolin Clay       | 1332-58-7    | Trade Secret  |
| Other ingredients            | Other ingredients | Trade Secret | 17.5%         |
| Tetrachloroisophthalonitrile | Chlorothalonil    | 1897-45-6    | 82.5%         |

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

**4. FIRST AID MEASURES**

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation  
Allergic skin reaction

## DACONIL ULTREX® TURF CARE®

Date: 9/12/2018

Replaces: 9/5/2018

Respiratory irritation

### Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

Persons having a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

## 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

## 7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

### Occupational Exposure Limits:

| Chemical Name | OSHA PEL                                                               | ACGIH TLV                            | Other                                                                  | Source |
|---------------|------------------------------------------------------------------------|--------------------------------------|------------------------------------------------------------------------|--------|
| Kaolin Clay   | 15 mg/m <sup>3</sup> TWA (total); 5 mg/m <sup>3</sup> TWA (respirable) | 2 mg/m <sup>3</sup> TWA (respirable) | 10 mg/m <sup>3</sup> TWA (total); 5 mg/m <sup>3</sup> TWA (respirable) | NIOSH  |

## DACONIL ULTREX® TURF CARE®

Date: 9/12/2018

Replaces: 9/5/2018

|                   |                 |                 |                           |                |
|-------------------|-----------------|-----------------|---------------------------|----------------|
| Other ingredients | Not Established | Not Established | Not Established           | Not Applicable |
| Chlorothalonil    | Not Established | Not Established | 0.1 mg/m <sup>3</sup> TWA | Syngenta       |

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

## Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

## Eye Contact:

Where eye contact is likely, use dust-proof chemical goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

## Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

## Inhalation:

A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use a NIOSH approved respirator with any HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Brown granules

Odor: Slight

Odor Threshold: Not Available

pH: 8 - 10

Melting point/freezing point: 482 °F

Initial boiling point and boiling range: &gt; 662 °F

Flash Point (Test Method): Not Applicable

Flammable Limits (% in Air): Not Available

Flammability: Not Applicable

Vapor Pressure: Chlorothalonil 0.00000057mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 0.74 g/cm<sup>3</sup>

Solubility (ies): Chlorothalonil 0.81 mg/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Applicable

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

## DACONIL ULTREX® TURF CARE®

Date: 9/12/2018  
Replaces: 9/5/2018

### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.  
Chemical stability: Stable under normal use and storage conditions.  
Possibility of hazardous reactions: Material is not known to polymerize.  
Conditions to Avoid: None known.  
Incompatible materials: None known.  
Hazardous Decomposition Products: None known.

### 11. TOXICOLOGICAL INFORMATION

#### Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Skin irritation, Respiratory irritation

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Eye irritation, Skin irritation, Allergic skin reaction, Respiratory irritation

#### Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

|                     |                                    |                                   |
|---------------------|------------------------------------|-----------------------------------|
| Ingestion:          | Oral (LD50 Rat) :                  | > 5000 mg/kg body weight          |
| Dermal:             | Dermal (LD50 Rat) :                | > 2000 mg/kg body weight          |
| Inhalation:         | Inhalation (LC50 Rat) :            | > .91 mg/l - 4 hours (calculated) |
| Eye Contact:        | Severely Irritating (Rabbit)       |                                   |
| Skin Contact:       | Mild Irritant                      |                                   |
| Skin Sensitization: | A skin sensitizer in animal tests. |                                   |

#### Reproductive/Developmental Effects

Chlorothalonil: Did not show reproductive toxicity effects in animal experiments. Did not show teratogenic effects in animal experiments.

#### Chronic/Subchronic Toxicity Studies

Chlorothalonil: In dogs, 1 year administration caused a significant decrease in body weight gain and increases in absolute liver and kidney weights.

Neurotoxicity: No evidence in regulatory studies.

#### Carcinogenicity

Chlorothalonil: Chlorothalonil causes kidney tumors in rats and mice via a nongentoxic mode of action secondary to target organ toxicity.

Did not show mutagenic effects in animal experiments.

IARC identifies chlorothalonil as a 2B carcinogen (possibly carcinogenic to humans).

## DACONIL ULTREX® TURF CARE®

Date: 9/12/2018

Replaces: 9/5/2018

---

|                              |                          |
|------------------------------|--------------------------|
| Chemical Name                | NTP/IARC/OSHA Carcinogen |
| Kaolin Clay                  | No                       |
| Other ingredients            | No                       |
| Tetrachloroisophthalonitrile | IARC Group 2B            |

---

Other Toxicity Information

Studies on rats and mice have suggested that technical chlorothalonil (97%), when fed at high levels in the diet, may have oncogenic potential to these laboratory animals. However, neither chlorothalonil nor its metabolites interact with DNA and thus are not mutagenic. Tumor formation has been related to a non-genotoxic mechanism of action for which threshold levels have been established in rats and mice. Comprehensive dietary and worker exposure studies have shown exposure levels for humans to be well below these threshold levels. In addition, surveillance of chlorothalonil plant workers for over twenty years has not demonstrated any increase in oncogenic potential to humans. May cause sensitization by skin contact. Exposure of the skin to chlorothalonil may result in weak contact dermatitis. Rat studies using finely milled chlorothalonil material (98.2% pure) showed an LC50 of 100 mg/m<sup>3</sup> (0.1 mg/l). At all exposure concentrations there were clinical signs of respiratory tract irritation. There was no evidence of systemic effects resulting from these tests. This data indicate that chlorothalonil, especially finely ground material, presents a significant acute inhalation hazard. However, it is unlikely to cause harmful effects when handled and used as directed on the label.

Toxicity of Other Components

## Kaolin Clay

May cause eye and respiratory tract irritation.

Long-term exposure to high concentrations of this dust may produce x-ray evidence of dust in the lungs.

Continued long-term exposure may affect respiratory function in some individuals.

## Other ingredients

Not Established

Target OrgansActive Ingredients

Chlorothalonil: Lung, kidney

Inert Ingredients

Kaolin Clay: Eye, respiratory tract, lung

Other ingredients: Not Established

---

**12. ECOLOGICAL INFORMATION**

## Eco-Acute Toxicity

## Chlorothalonil:

Green Algae 5-day EC50 190 ppb

Bird (Mallard Duck) LD50 Oral &gt; 4640 mg/kg

Invertebrate (Water Flea) 48-hour EC50 70 ppb

Fish (Rainbow Trout) 96-hour LC50 47 ppb

## Environmental Fate

## Chlorothalonil:

The information presented here is for the active ingredient, chlorothalonil.

Low bioaccumulation potential. Not persistent in soil or water. Low mobility in soil. Sinks in water (after 24 h).

## DACONIL ULTREX® TURF CARE®

Date: 9/12/2018

Replaces: 9/5/2018

---

### 13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

---

### 14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Not regulated

Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Chlorothalonil), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3077

Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Chlorothalonil)

Hazard Class: Class 9

Identification Number: UN 3077

Packing Group: PG III

---

### 15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

EPA Registration Number(s):

50534-202-100

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard  
Chronic Health Hazard

Section 313 Toxic Chemicals: Chlorothalonil 82.5% (CAS No. 1897-45-6)

California Proposition 65:

ATTENTION: This product can expose you to chemicals including chlorothalonil, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

CERCLA/SARA 304 Reportable Quantity (RQ):

None

DACONIL ULTREX® TURF CARE®

Date:9/12/2018

Replaces:9/5/2018

RCRA Hazardous Waste Classification (40 CFR 261):  
Not Applicable

TSCA Status:  
Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

| NFPA Hazard Ratings           |   | HMIS Hazard Ratings |   |   |          |
|-------------------------------|---|---------------------|---|---|----------|
| Health:                       | 3 | Health:             | 3 | 0 | Minimal  |
| Flammability:                 | 1 | Flammability:       | 1 | 1 | Slight   |
| Instability:                  | 0 | Reactivity:         | 0 | 2 | Moderate |
| Syngenta Hazard Category: D,S |   |                     |   | 3 | Serious  |
|                               |   |                     |   | 4 | Extreme  |
|                               |   |                     |   | * | Chronic  |

For non-emergency questions about this product call:  
1-800-334-9481

Original Issued Date:11/12/1998

Revision Date:9/12/2018Replaces:9/5/2018

Section(s) Revised:15

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.