

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical NameMixtureTrade NamesCoastal™CAS No.Mixture

EPA Identification Number EPA Reg. No. 5481-629

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Herbicide

Uses Advised Against It is a violation of Federal law to use this product in a manner

inconsistent with its labeling.

Details of the supplier of the safety data sheet

Company Identification Sipcam Agro USA, Inc.

2525 Meridian Parkway Durham, NC 27713 United States of America

Telephone (919) 226-1195

Emergency telephone number

Emergency Phone No. CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887

(Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200) STOT SE 1; STOT RE 1; Repr. 1B

Label elements

This is a pesticide product registered with the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS) and for workplace labels of non pesticide chemicals. The labeling information below applies to non-pesticide workplace labels. For pesticide label information, refer to Section 15.

Hazard Symbol(s)



Signal Word(s) DANGER

Hazard Statement(s) Causes damage to organs: Neuroendocrine system.

Causes damage to organs through prolonged or repeated exposure:

Neuroendocrine system and Blood.

May damage fertility or the unborn child.

Precautionary Statement(s) Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

Revision: December 2, 2021 Page: 1/8



IF exposed or concerned: Get medical advice/attention. Treat symptomatically.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice. Observe

directions on label and instructions for use. See Also Section 15.

Other hazards Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Additional Information None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard Statement(s)
Simazine	~ 28	122-34-9	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT-SE 1; H370 STOT-RE 1; H372 Repr. 1B; H360 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
Prodiamine	~ 18	29091-21-2	Acute Tox. 4; H332 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. If breathing

is laboured, administer oxygen. Call a POISON CENTER/doctor if you feel

unwell. Treat symptomatically.

Skin Contact Take off immediately all contaminated clothing. Gently wash with plenty of

soap and water. If irritation (redness, rash, blistering) develops, get medical attention. Treat symptomatically. Contaminated clothing should be laundered

before reuse.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists, get

medical advice/attention.

Ingestion Do not give anything by mouth to an unconscious person.Get medical

advice/attention if you feel unwell. Rinse mouth.

Most important symptoms and effects, both

acute and delayed

Causes damage to organs: Neuroendocrine system.

Indication of any immediate medical attention

and special treatment needed

Call a POISON CENTER or doctor/physician if you feel unwell.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or water spray.

Revision: December 2, 2021 Page: 2/8



-Unsuitable Extinguishing Media

None known.

Special hazards arising from the substance or mixture

Combustion or thermal decomposition will evolve toxic and irritant vapours. Forms oxides of carbon and nitrogen, also chlorine and chlorinated compounds and fluorine and fluorinated compounds. Decontaminate equipment or materials used in pesticide fires.

Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and

emergency procedures

Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist/vapours/spray. Wear suitable respiratory protective equipment if exposure to high levels of material are likely.

Environmental precautions Observe directions on label and instructions for use. See Also

Section 15.

Methods and material for containment and cleaning up

Observe directions on label and instructions for use. See Also

Section 15.

Reference to other sections Observe directions on label and instructions for use. See Also

Section 15.

Additional Information None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Do not breathe mist/vapours/spray. Wear protective gloves/protective clothing/eye

protection/face protection. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Observe directions on label and

instructions for use. See Also Section 15.

Conditions for safe storage, including any incompatibilities

-Storage temperature Store at room temperature. Do not allow material to freeze. -Incompatible materials Strong oxidising agents. Substances that react with water.

Specific end use(s) Herbicide

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
Simazine	122-34-9		0.5 mg/m3			Inhalable Fraction

Exposure controls

Appropriate engineering controls

Do **NOT** aerosolize or atomize to produce inhalable-size particles. Use low-pressure course spray only. Observe directions on label and instructions for use. See Also Section 15.

Revision: December 2, 2021 Page: 3/8



Personal protection equipment

Eye/face protection



Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)



Gloves. Observe directions on label and instructions for use. See Also

Section 15.

Respiratory protection



Observe directions on label and instructions for use. See Also Section

15.

Thermal hazards

Not normally required.

Environmental Exposure Controls

Do not allow to enter drains, sewers or watercourses. Observe directions on label and instructions for use. See Also Section 15.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Viscous liquid.
Colour. Yellow

Odour Odour Threshold (ppm) Slight faint odor Not available.

pH (Value) 5.51 Melting Point (°C) / Freezing Point (°C) Not available. Boiling point/boiling range (°C): Not available. Flash Point (°C) Not available. Evaporation rate Not available. Flammability (solid, gas) Not available. **Explosive Limit Ranges** Not available. Vapour pressure (Pascal) Not available. Vapour Density (Air=1) Not available.

Density (g/ml) 1.149

Solubility (Water)

Not available.

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Point (°C)

Not available.

Not available.

Decomposition Temperature (°C)

Kinematic Viscosity (cSt)

Explosive properties

Oxidising properties

Not available.

517.8 @ 40 °C

Not explosive.

Not oxidising.

Other information Not available.

SECTION 10: STABILITY AND REACTIVITY

ReactivityNo hazardous reactions known if used for its intended purpose.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions

Conditions to avoid

None anticipated.

Incompatible materials

Incompatible materials Strong oxidising agents. Substances that react with water.

Revision: December 2, 2021 Page: 4/8

SIPCAM AGRO

Coastal™

Hazardous decomposition product(s)

Combustion or thermal decomposition will evolve toxic and irritant vapours. Forms oxides of carbon and nitrogen, also chlorine and chlorinated compounds and fluorine and fluorinated compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Information on toxicological effects

Substances Not applicable

Mixtures

Acute toxicity Oral: LD50 >5,000 mg/kg-bw (rat)

Dermal: LD50 >5,000 mg/kg-bw (rat) Inhalation: LC50 >2 mg/L (rat)

Skin corrosion/irritation Unlikely to cause skin irritation. Serious eye damage/irritation Unlikely to cause eye irritation.

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Aspiration hazard

Not available.

Not available.

Not available.

Not available.

Substances in preparations / mixtures:

Prodiamine (CAS# 29091-21-2):

Acute toxicity (calculated / estimated)

Oral: LD50 >5000 mg/kg (rat)

Dermal: LD50 >2000 mg/kg (rat)

Inhalation: LC50 > 1.81 mg/L (4 hr) (rat) (Dust)

Irritation/Corrosivity Mild irritant to rabbit eyes.

Sensitization May cause an allergic skin reaction.

Repeated dose toxicity NOEL = 7.2 mg/kg/day (rat) (2 years)

NOEL = 6.0 mg/kg/day (dog) (1 years) NOEL = 60 mg/kg/day (mouse) (11/2 years)

Carcinogenicity

NTP	IARC	ACGIH	OSHA
No.	No.	No.	No.

Mutagenicity Not to be expected.

Reproductive toxicity NOAEL = 200 ppm (rat)

Simazine (CAS# 122-34-9):

Acute toxicity Oral: LD50 >2000 mg/kg-bw (rat); Causes damage to organs:

neuroendocrine system

Dermal: LD50 >2000 mg/kg-bw (rat) Inhalation: LC50 >1.71 mg/L (rat)

Irritation/Corrosivity Causes serious eye irritation. Causes skin irritation.

Sensitization Not to be expected.

Repeated dose toxicity Causes damage to organs through prolonged or repeated exposure:

neuroendocrine system and Blood. NOEAL = 1.8 mg/kg-bw/day (rat)

Carcinogenicity Not to be expected.

Revision: December 2, 2021 Page: 5/8



NTP	IARC	ACGIH	OSHA
No	No	No	No

Mutagenicity Not to be expected.

Reproductive toxicity May damage fertility or the unborn child. NOAEL = 1.8 mg/kg-bw/day

(rat)

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Prodiamine (CAS# 29091-21-2):

Short term LC50 (96 hour): 3.2 - 20 mg/L (Lepomis macrochirus)

EC50 (48 hour): >0.66 mg/L (Daphnia magna) EC50 (24 - 96 hour): 0.003 - 0.01 mg/L (Algae)

Long Term Very toxic to aquatic life with long lasting effects.

Simazine (CAS# 122-34-9):

Short term LC50 (96 hour): 0.8 mg/l (Danio rerio)

LC50 (96 hour): 1-10 mg/l (Pimephales promelas) EC50 (48 hour): 0.056-2.2 mg/L (Daphnia magna)

EC50 (72 hour): 0.1 - 1 mg/l (Pseudokirchneriella subcapitata)

Long Term Very toxic to aquatic life with long lasting effects.

Persistence and degradability Part of the components are poorly biodegradable.

Bioaccumulative potential Not determined.

Mobility in soil Not determined.

Results of PBT and vPvB assessment Not classified as PBT.

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for advice. Observe directions on label and instructions for use. See Also

Section 15.

Additional Information None known.

SECTION 14: TRANSPORT INFORMATION

Land transport Sea transport Air transport (U.S. DOT) * (IMDG) (ICAO/IATA) UN 3082 **UN** number Not classified as dangerous UN 3082 for transport. * **Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s. (Simazine & Prodiamine) q Transport hazard class(es) q Ш Ш Packing group Hazard label(s) Marine Pollutant Marine Pollutant **Environmental hazards** Yes Yes Special precautions for user None Assigned None Assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Revision: December 2, 2021 Page: 6/8

^{*} For bulk shipments in U.S., can be shipped as UN3082, Environmentally hazardous substance, liquid, n.o.s. (Simazine & Prodiamine), 9, PG III

SIPCAM AGRO

Coastal™

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: This is a registered pesticide product regulated under Federal Insecticide, Fungicide, and Rodenticide Act and, therefore, the components of this product are not subject to listing on the TSCA inventory.

EPA FIFRA Information for SDS Section 15 (Regulatory Information):

This is a pesticide product registered with the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non pesticide chemicals.

The hazard information required on the pesticide label is reproduced below:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or on clothing. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE):

Applicators, mixers, loaders, and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR Part 170) must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves
- Shoes plus socks
- Protective eyewear such as goggles, face shield, or safety glasses

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls:

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided with all of the PPE specified above for applicators and other handlers, and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.

Environmental Hazards:

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

Imazaquin demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

Simazine can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Simazine has been found in ground water as a result of its use as a herbicide. Users are advised not to apply Simazine to sand and loamy soils where the water table (ground water) is close to the surface and where the soils are very permeable, i.e., well-drained. Your local extension agencies can provide further information on the type of soil in your area and the location of ground water.

Products must not be mixed or loaded within 50 feet of intermittent streams and rivers, natural or impounded lakes and reservoirs. Product must not be applied within 66 feet of points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 feet of natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop, or seeded with grass or other suitable crop.

Product must not be mixed or loaded, or used within 50 feet of all wells, including abandoned wells, drainage wells and sink holes. Operations that involve mixing, loading, rinsing or washing of this product into or from pesticide handling or application equipment or containers within 50 feet of any well are prohibited, unless conducted on an impervious pad constructed to withstand the weight of the heaviest load that may be positioned on or moved across the pad. Such a pad shall be designed and maintained to contain any product spills or equipment leaks, container or equipment rinse or wash water and rain water that may fall on the pad. Surface water shall not be allowed to either flow over, or from, the pad which means the pad must be self contained. The pad shall be sloped to facilitate material removal. An unroofed pad shall be of sufficient capacity to contain, at a minimum, 110% of the capacity of the largest pesticide container or application equipment on the pad. A pad that is covered by a roof of sufficient size to completely exclude precipitation from contact with the pad shall have a minimum containment of 100% of the capacity of the largest pesticide container or application equipment on the pad. Containment capacities as described above shall be maintained at all times. The above-specified minimum containment capacities do not apply to vehicles when delivering pesticide to the

Revision: December 2, 2021 Page: 7/8



mixing/loading sites.

Additional state imposed requirements regarding well-head setbacks and operational area containment must be observed. The pesticide label also includes other important information, including directions for use.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

SARA 311/312 - Hazard Categories: See SECTION 2 - HAZARDS IDENTIFICATION

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Simazine	122-34-9	~ 28

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)	TPQ (Pounds)
None				

Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
Simazine	122-34-9	~ 28	Developmental Reproductive Toxicity, female

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

Date of preparation: December 2, 2021

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H319: Causes serious eye irritation.
- H332: Harmful if inhaled.
- H360: May damage fertility or the unborn child.
- H370: Causes damage to organs.
- H372: Causes damage to organs through prolonged or repeated exposure.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Sipcam Agro USA, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Sipcam Agro USA, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: December 2, 2021 Page: 8/8