

PROSTAR® 70 WG FUNGICIDE

Version 2 / USA Revision Date: 09/13/2013 102000024689 Print Date: 06/13/2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name PROSTAR® 70 WG FUNGICIDE

 Product code (UVP)
 80022484

 SDS Number
 102000024689

 EPA Registration No.
 432-1223

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

United States

Emergency telephone no.

All Emergencies, 24hr/ 7 days 1-800-334-7577

Product Information Telephone No.

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Carcinogenicity: Category 2



Signal word: Warning

Hazard statements

Suspected of causing cancer.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Other hazards



PROSTAR® 70 WG FUNGICIDE

Version 2 / USA Revision Date: 09/13/2013 102000024689 Print Date: 06/13/2017

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Component Name | CAS-No. | Average % by Weight |
|-----------------------------------------------|-------------|---------------------|
| Flutolanil | 66332-96-5 | 70.00 |
| Fatty acid methyl tauride sodium salt | 137-20-2 | 1.52 |
| Synthetic amorphous silica | 112926-00-8 | 1.74 |
| Dibutyl naphthalenesulfonic acid, sodium salt | 25417-20-3 | 2.76 |
| Sodium sulphate | 7757-82-6 | 1.16 |
| Quartz (Silica, Crystalline) | 14808-60-7 | 0.14 |

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out

mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do

not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by

the patient's condition is recommended. There is no specific

antidote.

SAFETY DATA SHEET



PROSTAR® 70 WG FUNGICIDE

Version 2 / USA Revision Date: 09/13/2013 102000024689 Print Date: 06/13/2017

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable None known.

Special hazards arising from the substance or

mixture

Accumulation of fine dust may entail the risk of a dust explosion in the presence of air., Dangerous gases are evolved in the event of a

fire

Advice for firefighters

Special protective

equipment for fire-fighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off

from fire fighting to enter drains or water courses.

Flash point not applicable

Autoignition temperature no data available

Lower explosion limit not applicable

Upper explosion limit not applicable

Explosivity no data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Sweep up or vacuum up spillage and collect in

suitable container for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil,

waterways or waste water canal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling



PROSTAR® 70 WG FUNGICIDE

Version 2 / USA Revision Date: 09/13/2013 102000024689 Print Date: 06/13/2017

Advice on safe handling Maintain exposure levels below the exposure limit through the use of

general and local exhaust ventilation. Handle and open container in

a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and

before eating, drinking, chewing gum, using tobacco, using the toilet

or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap

and water. Remove soiled clothing immediately and clean

thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|-----------------------------------------------------|-------------|------------------------|---------|-----------|
| Synthetic amorphous silica | 112926-00-8 | 6 mg/m3 (TWA) | 1989 | OSHA Z1A |
| Synthetic amorphous silica | 112926-00-8 | 6 mg/m3 (TWA) | 06 2008 | TN OEL |
| Sodium sulphate | 7757-82-6 | 10 mg/m3 (TWA) | | OES BCS* |
| Sodium sulphate (Particulate.) | 7757-82-6 | 50 ug/m3 (ST ESL) | 02 2013 | TX ESL |
| Sodium sulphate (Particulate.) | 7757-82-6 | 5 ug/m3 (AN ESL) | 02 2013 | TX ESL |
| Quartz (Silica, Crystalline) (Respirable fraction.) | 14808-60-7 | 0.025 mg/m3 (TWA) | 02 2012 | ACGIH |
| Quartz (Silica, Crystalline) (Respirable dust.) | 14808-60-7 | 0.05 mg/m3 (REL) | 2010 | NIOSH |
| Quartz (Silica, Crystalline) (Respirable dust.) | 14808-60-7 | 0.1 mg/m3 (TWA) | 1989 | OSHA Z1A |
| Quartz (Silica, Crystalline) (Respirable dust.) | 14808-60-7 | 0.1 mg/m3 (TWA) | 06 2008 | TN OEL |
| Quartz (Silica, Crystalline) | 14808-60-7 | 14 ug/m3 (ST ESL) | 03 2012 | TX ESL |
| Quartz (Silica, Crystalline) (Total dust.) | 14808-60-7 | 0.3 mg/m3 (TWA PEL) | 08 2010 | US CA OEL |
| Quartz (Silica, Crystalline) (Respirable dust.) | 14808-60-7 | 0.1 mg/m3 (TWA PEL) | 08 2010 | US CA OEL |
| Quartz (Silica, Crystalline) (Total dust.) | 14808-60-7 | 0.3 mg/m3 (TWA) | 2000 | Z3 |



PROSTAR® 70 WG FUNGICIDE

Version 2 / USA Revision Date: 09/13/2013 102000024689 Print Date: 06/13/2017

| Quartz (Silica, Crystalline) (Respirable.) | 14808-60-7 | 2.4 millions of particles per cubic foot of air (TWA) | 2000 | Z3 |
|-----------------------------------------------|------------|-------------------------------------------------------------|------|----|
| Quartz (Silica, Crystalline) (Respirable.) | 14808-60-7 | 0.1 mg/m3 (TWA) | 2000 | Z3 |

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or

industry recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective

measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance light grey

Physical State water-dispersible granules

Odor odourless

Odour Threshold no data available

pH 7.5 - 8.5 (10 %)

Vapor Pressure no data available

Vapor Density (Air = 1) no data available

Bulk density 32 - 38 lb/ft³

Evapouration rate no data available



PROSTAR® 70 WG FUNGICIDE

Version 2 / USA Revision Date: 09/13/2013 102000024689 Print Date: 06/13/2017

Boiling Point not applicable

Melting / Freezing Point not applicable

Water solubility dispersible

Minimum Ignition Energy no data available

Decomposition temperature

no data available

Partition coefficient: n-

octanol/water

no data available

Viscosity not applicable

Flash point not applicable

Autoignition temperature no data available

Lower explosion limit not applicable

Upper explosion limit not applicable

Explosivity no data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition no data available

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No hazardous reactions known.

Conditions to avoid Exposure to moisture.

Heat, flames and sparks.

Incompatible materials no data available

SAFETY DATA SHEET



PROSTAR® 70 WG FUNGICIDE

Version 2 / USA Revision Date: 09/13/2013 102000024689 Print Date: 06/13/2017

Hazardous decomposition

products

Thermal decomposition can lead to release of:

Oxides of carbon Nitrogen oxides (NOx)

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Skin contact, Eye contact, Dust inhalation

Immediate Effects

Eye Moderate eye irritation.

Skin Harmful if absorbed through skin.

Inhalation May cause respiratory tract irritation.

Information on toxicological effects

Acute oral toxicity LD50 (rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (rat) > 7.4 mg/l

Exposure time: 4 h

Determined in the form of dust.

LC50 (rat) > 20 mg/l Exposure time: 1 h

Determined in the form of dust. Extrapolated from the 4 hr LC50.

Acute dermal toxicity LD50 (rat) > 5,000 mg/kg

Skin irritation No skin irritation (rabbit)

Eye irritation Slight irritation (rabbit)

Sensitisation Non-sensitizing. (guinea pig)

Assessment neurotoxicity

Flutolanil did not demonstrate the potential to cause neurotoxicity in standard toxicity studies using laboratory animals.

Assessment Mutagenicity

Flutolanil was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity


Flutolanil was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Quartz (Silica, Crystalline)

14808-60-7

Group A2





PROSTAR® 70 WG FUNGICIDE

Version 2/USA Revision Date: 09/13/2013 102000024689 Print Date: 06/13/2017

NTP

None.

IARC

Synthetic amorphous silica 112926-00-8 Overall evaluation: 3 Quartz (Silica, Crystalline) 14808-60-7 Overall evaluation: 1

OSHA

None.

Assessment toxicity to reproduction

Flutolanil did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Flutolanil did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Rainbow trout (Oncorhynchus mykiss)) 5.4 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient flutolanil.

Toxicity to aquatic plants EC50 (Pseudokirchneriella subcapitata) 0.97 mg/l

Biomass; Exposure time: 72 h

The value mentioned relates to the active ingredient flutolanil.

EC50 (Algae) 0.92 mg/l Exposure time: 72 h

The value mentioned relates to the active ingredient flutolanil.

Environmental precautions Do not apply directly to water, to areas where surface water is

> present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment

or disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Do not contaminate water, food, or feed by disposal.

> Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an

approved waste disposal facility.

SAFETY DATA SHEET



PROSTAR® 70 WG FUNGICIDE

Version 2 / USA Revision Date: 09/13/2013 102000024689 Print Date: 06/13/2017

Contaminated packaging Completely empty container into application equipment, then

dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1223

US Federal Regulations

TSCA list

Fatty acid methyl tauride sodium salt 137-20-2 Dibutyl naphthalenesulfonic acid, sodium 25417-20-3

salt

Sodium sulphate 7757-82-6 Quartz (Silica, Crystalline) 14808-60-7

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707,

Subpt D) None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Synthetic amorphous silica 112926-00-8 MN Quartz (Silica, Crystalline) 14808-60-7 MN

Canadian Regulations

Canadian Domestic Substance List

Fatty acid methyl tauride sodium salt 137-20-2 Synthetic amorphous silica 112926-00-8 Dibutyl naphthalenesulfonic acid, sodium 25417-20-3

SAFETY DATA SHEET



PROSTAR® 70 WG FUNGICIDE

Version 2 / USA Revision Date: 09/13/2013 102000024689 Print Date: 06/13/2017

salt

Sodium sulphate 7757-82-6 Quartz (Silica, Crystalline) 14808-60-7

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Fatty acid methyl tauride sodium salt 137-20-2 Dibutyl naphthalenesulfonic acid, sodium 25417-20-3

salt

Sodium sulphate 7757-82-6 Quartz (Silica, Crystalline) 14808-60-7

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Moderate eye irritation.

Harmful if absorbed through skin.

Avoid contact with skin, eyes and clothing.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1* Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 5: Fire Fighting Measures. Section 9: Physical and Chemical Properties.

Revision Date: 09/13/2013

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are



PROSTAR® 70 WG FUNGICIDE

Version 2 / USA 102000024689 Revision Date: 09/13/2013 Print Date: 06/13/2017

registered trademarks of Bayer.