



Permethrin 1%

READY-TO-USE POUR-ON INSECTICIDE

for Cattle, Sheep & their Premises

Kills Lice and Flies on Beef & Lactating Dairy Cattle, & Keds on Sheep

ACTIVE INGREDIENT:

Permethrin* 1.00%

OTHER INGREDIENTS: 99.00%

TOTAL 100.00%

* (3-phenoxyphenyl)methyl (+/ -) cis/trans 3-(2,2-dichloro-ethenyl) -2,2-dimethylcyclopropanecarboxylate cis/trans ratio: Min 35% (+/-) trans and Max 65% (+/-) cis.

** Contains Petroleum Distillates

EPA Reg. No. 47000-150-12281 EPA Est. No. 47000-IA-01

**KEEP OUT OF THE
REACH OF CHILDREN
CAUTION**

**See Attached Leaflet for Additional
Precautionary Statements and Directions for Use**

Mfg for: Durvet, Inc., 100 S.E. Magellan Drive, Blue Springs, MO 64014
www.durvet.com

Ready-to-Use



**NET CONTENTS:
1 Gallon (3.785 L)**

Permethrin 1% READY-TO-USE POUR-ON INSECTICIDE

ACTIVE INGREDIENT:

Permethrin*.....1.00%

OTHER INGREDIENTS:.....99.00%

TOTAL.....100.00%

* (3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethyl cyclopropanecarboxylate cis/trans ratio: Min 35% (+/-) trans and Max 65% (+/-) cis.

** Contains Petroleum Distillates

FIRST AID

If on Skin or on Clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for further treatment advice.

If Swallowed:

- Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital.
- Do not give **any** liquid to the patient.
- Do not administer anything by mouth.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

If Inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate. May pose an aspiration pneumonia hazard.

Have product container or label with you when calling a poison control center, or doctor, or going in for treatment.

For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Attached Label for Additional
Precautionary Statements and Directions for Use

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry and secure area. Store in original sealed container away from food or feed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: *Non-refillable container.* Do not reuse or refill this container. *If empty:* Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 47000-150-12281

EPA Est. No. 47000-1A-01

ISS18XB08

Manufactured For:

DURVET, INC.
100 S.E. Magellan Drive
Blue Springs, MO 64014
www.durvet.com



NET CONTENTS:
1 Gallon (3.785 L)

OPEN
HERE





Permethrin 1% READY-TO-USE POUR-ON INSECTICIDE

Ready-To-Use Pour-On Insecticide for Cattle, Sheep and their Premises

EPA Reg. No. 47000-150-12281
EPA Est. No. 47000-IA-01

Manufactured For:
DURVET, INC., 100 S.E. Magellan Drive, Blue Springs, MO 64014
www.durvet.com

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees and other pollinating insects exposed to direct treatment or residues on blooming

crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees or other pollinating insects are foraging the treatment area.

Personal Protective Equipment (PPE):
Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves (barrier laminate, nitrile rubber, neoprene rubber, or Viton)
- Chemical-resistant apron for mixers, loaders, persons cleaning equipment, and for handlers performing animal dip operations.

User Safety Requirements
Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations
Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID	
If on Skin or on Clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for further treatment advice.
If Swallowed:	• Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital. • Do not give any liquid to the patient. • Do not administer anything by mouth. • Do not induce vomiting unless told to do so by the poison control center or doctor.
If Inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Contains petroleum distillate. May pose an aspiration pneumonia hazard.	
Have product container or label with you when calling a poison control center, or doctor, or going in for treatment. For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas)	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and precautions.

USE RESTRICTIONS

Entry Restrictions

Except when applying to livestock, do not enter or allow others to enter treated area until sprays have dried.

Application Restrictions

- Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to livestock, only protected handlers may be in the area during application.
- Do not breathe vapors or spray mist.
- Do not water the treated area to the point of run-off. Do not make applications during rain.
- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 1. Treatment to soil or vegetation around structures,
 2. Applications to lawns, turf, and other vegetation,
 3. Applications to building foundations, up to a maximum height of 3 feet

APPLICATION DIRECTIONS & STORAGE AND DISPOSAL on reverse side of leaflet.

APPLICATION DIRECTIONS

Apply To:	Target Insects:	Application Instructions:
Lactating Dairy Cattle, Non-Lactating Dairy Cattle, Beef Cattle, Calves	Lice, Horn Flies. Aids in control of Horse Flies, Stable Flies, Mosquitoes, Black Flies and Ticks.	Apply ½ fl. oz. (15cc) per 100 lbs. body weight of animal, up to a maximum of 5 fl. oz. for any one animal over a 14 day period. POUR-ON: Pour along back line and down face. BACKRUBBER USE: Mix one pint per gallon #2 diesel or mineral oil. Keep rubbing device charged. Results are improved by daily forced use.
Sheep	Keds	Pour along back line and down face. Apply ¼ fl. oz. (7.5cc) per 50 lbs. body weight of animal, 3 fl. oz. for any one animal over a 14 day period.
Premises: In and around Horse, Beef, Swine, Sheep and Poultry Premises, Animal Hospital Pens and Kennels, and Outside Meat Processing Facilities	Horse Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, Little House Flies (<i>Fannia</i> spp.). Aids in control of Cockroaches, Ants, Spiders, and Crickets	For use as a ready-to-use spot spray or premise spray: Use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticide coating, paying particular attention to areas where insects crawl or alight. One gallon will treat approximately 7,300 square feet.

For pour-on and ready-to-use applications, repeat treatment as needed but do not exceed 5 fl. oz. for any one animal on cattle or 3 fl. oz. for any one animal on sheep during any 14 day interval. For optimum insecticidal effectiveness against lice, a second treatment at 14 day intervals is recommended.

NOTE: This product is not effective for grub control on cattle.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry and secure area. Store in original sealed container away from food or feed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: *Non-refillable container.* Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DISCLAIMER: To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

ISS18XB08

EPA Reg. No. 47000-150-12281
EPA Est. No. 47000-IA-01

Manufactured For:
DURVET, INC.
100 S.E. Magellan Drive
Blue Springs, MO 64014
www.durvet.com

Permethrin 1% READY-TO-USE POUR-ON INSECTICIDE

ACTIVE INGREDIENT:
Permethrin*.....1.00%

OTHER INGREDIENTS:..... 99.00%

TOTAL100.00%

* (3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethyl cyclopropanecarboxylate cis/trans ratio: Min 35% (+/-) trans and Max 65% (+/-) cis.
** Contains Petroleum Distillates

FIRST AID	
If on Skin or on Clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for further treatment advice.
If Swallowed:	• Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital. • Do not give any liquid to the patient. • Do not administer anything by mouth. • Do not induce vomiting unless told to do so by the poison control center or doctor.
If Inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Contains petroleum distillate. May pose an aspiration pneumonia hazard.	
Have product container or label with you when calling a poison control center, or doctor, or going in for treatment. For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas)	

KEEP OUT OF REACH OF CHILDREN CAUTION

**See Attached Label for Additional
Precautionary Statements and Directions for Use**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry and secure area. Store in original sealed container away from food or feed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: *Non-refillable container.* Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 47000-150-12281
EPA Est. No. 47000-IA-01
ISS18XB08

Manufactured For:
DURVET, INC.
100 S.E. Magellan Drive
Blue Springs, MO 64014
www.durvet.com



7 45801 33203 4

**NET CONTENTS:
1 Gallon (3.785 L)**